



IV 60/30



1 Convenient storage area for accessories on the machine's chassis

■ Large accessory basket on the machine chassis offers a convenient storage space for nozzles, bends and other parts.

2 Manual filter vibration for low operating costs

■ The manual filter vibration increases the working time of the permanent filter, thereby reducing the maintenance effort.

3 Resilient and versatile

■ Thanks to the long service life of the side channel blower, the IV 60/27-1 M B1 and IV 60/30 M B1 are also suitable for stationary use in multiple shift operation. The extensive accessory line provides for ergonomic and economical cleaning solutions for numerous applications.

4 Mechanical filter vibration

High efficiency: the mechanical filter vibration greatly extends the working time of the 2.3 m² continuous filter. This reduces maintenance effort and saves costs.

TECHNICAL DATA AND EQUIPMENT





IV 60/30

- Anti-static equipment
- Filter status indicator
- Pole reverse plug

Technical data		
Order No.		1.573-500.0
EAN code		4039784731165
Rated input power during operation	kW	max. 3.5
Air flow rate	$l/s / m^3/h$	68 / 244.8
Vacuum	mbar / kPa	286 / 28.6
Container capacity	I	60
Filter area	m²	2.3
Main filter dust class		M
Sound pressure level	dB(A)	75
Nominal diameter of connection		ID 51
Weight	kg	96
Nominal diameter of accessory		ID 51
Dimensions (L × W × H)	mm	870 × 640 × 1650

Equipment	
Accessories in scope of delivery	No
Container in scope of delivery	NO CONTRACTOR OF THE PROPERTY
Container for wet vacuuming	6.394-822.0
Container for dry applications	6.394-821.0
Filter cleaning	Manual































					Length			
		Order No.	Quantity	ID	/ width	Price	Description	L
Adaptors and spare parts		l	1	Lines	1 1		la constitution in	.1_
Suction connection	1	6.789-003.0	1 piece(s)	ID 51			Connector for operation of DN 51 industrial hoses on one IV	-
Vennastav	2	6.789-004.0	1 piece(s)	ID 61			Connector for operation of DN 61 industrial hoses on one IN	44
Y connector	3	6.789-001.0	1 piece(s)	ID 51			Connector for operation of two DN 51 industrial hoses on one IV	
	4	6.789-002.0	1 piece(s)	ID 61			Connector for operation of two DN 61 industrial hoses on one IV	
Reduction piece, ID 61 on ID 51	5	6.902-147.0	1 piece(s)	ID 61			Reducer for connecting DN 51 accessories to a DN 61 suction hose	
Adapter	6	6.906-799.0	1 piece(s)	ID 51			Connecting sleeve to connect two DN 51 suction hoses to each other.	
Connection bushing	7	6.906-800.0	1 piece(s)	ID 61			Connecting sleeve to connect two DN 61 suction hoses to each other.	
Hose connection, rotatable	8	6.906-810.0	1 piece(s)	ID 51			Connector with live ring for the repair and manufacture of	
	9	6.906-811.0	1 piece(s)	ID 61			special hose lengths	
Adapter IV to ID 72	10	6.902-212.0	1 piece(s)	ID 72				
Filters and waste disposal bags								
Star filter, white, IV 60 and IV 100/40-55	11	6.904-341.0	1 piece(s)				Start filter, white, replacement for IV 60 and 100 but not "NB1" and not 100/75	1 =
Star filter, green, dust filter class M	12	6.904-342.0	1 piece(s)				"Star filter, green, replacement for IV 60 and 100 M B1 but not 100/75 (M B1); must be used for M B1 machines!"	
Disposal bags, paper	13	6.904-346.0	10 piece(s)				Disposal sack, paper, 60 I for dust-free disposal	
	14	6.904-347.0	10 piece(s)				Disposal sack, paper, 100 I for dust-free disposal	
Disposal bags, PE	15	6.904-348.0	20 piece(s)				Disposal sack PE 20 pcs 60/100 l for dust-free disposal	
	16	6.907-336.0	5 piece(s)					
	17	6.907-347.0	5 piece(s)					
Stainless steel bends								
Bend, stainless steel, socket plug	18	6.906-767.0	1 piece(s)	ID 51			The stainless steel bend is equipped with a nylon ring in the	; <u> </u>
connection	19	6.906-850.0	1 piece(s)	ID 61			upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	
Suction tubes stainless steel		1		1				
Suction tube, stainless steel, socket	20	6.906-766.0	1 piece(s)	ID 51	500 mm		The suction tube (0.5 m) is equipped with a nylon ring in th	2
plug connection	21	6.906-851.0	1 piece(s)	ID 61	500 mm		upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	
Floor nozzles		ı	1	1			1	
Brush strip	22		2 -part		500 mm			
Rubber strip set	23	6.903-081.0	2 -part		370 mm		Rubber strip set 370 mm, oil-resistant, for floor nozzle 4.130-408.0	
Floor nozzle, wet/dry	24	4.130-412.0	1 piece(s)	ID 51	500 mm		"Aluminium, oil-proof, 500 mm, with hight-adjustable roller strips and rubber lips; strip set 6.903-067.0; rubber lip set 6.906-168.0"	s,
Rubber strip set	25	6.906-168.0	2 -part		500 mm		Rubber strip set 500 mm, oil-resistant, for floor nozzles 4.130-413.0 and -412.0	
Floor nozzle, wet/dry	26	4.130-413.0	1 piece(s)	ID 61	500 mm		Aluminium, oil-proof, 500 mm, with hight-adjustable rollers strips (6.903-067.0) and rubber lips (6.906-168.1)	,
Heavy-duty floor nozzle	27	6.906-793.0	1 piece(s)	ID 51	500 mm		Floor nozzle, cast aluminium with height-adjustable rollers	
	28	6.906-802.0	1 piece(s)	ID 61	500 mm		for demanding applications	
Rubber strip for floor nozzle	29	6.906-833.0	1 piece(s)		500 mm		Rubber strip 500 mm, oil-resistant, for floor nozzles 6.906-793.0 and -802.0	
Triangle nozzle (cast aluminium,	30	6.906-796.0	1 piece(s)	ID 51	300 mm		Flat surface nozzle 300 mm cast aluminium for demanding	
squeegee)	31	6.906-805.0	1 piece(s)	ID 61	300 mm		applications	



























	45 50			JZ			34-37		
			Order No.	Quantity	ID	Length / width	Price	Description	
Steel strip for triangular no	ozzle	32	6.906-835.0	1 piece(s)		300 mm		Steel bar 300 mm, for flat surface nozzle 6.906-796.0 and -805.0Replacement for 6.906-795.0 and -804.0	
Rubber strip for triangular	nozzle	33	6.906-834.0	1 piece(s)		300 mm		Rubber strip 300 mm, oil-resistant, for flat surface nozzles 6.906-796.0 and -805.0	
Floor nozzle, wet/dry		34	6.906-814.0	1 piece(s)	ID 51	370 mm			
Other nozzles								_	
Rubber suction nozzle, 45°		35	6.902-146.0	1 piece(s)	ID 51	220 mm		Angled 45°, for suction of machines, oil-resistant	
		36	6.902-106.0	1 piece(s)	ID 61	220 mm			
Elongated round nozzle, ru	bber	37	6.906-764.0	1 piece(s)	ID 51	370 mm		Suction nozzle DN 51, rubber, round	
Round brush, angled		38	6.906-798.0	1 piece(s)	ID 51	120 mm		Flat surface nozzle, round, with brush, for the gentle vacu- uming of machine surfaces	
Brush crown, round, for repment	place-	39	6.906-809.0	1 piece(s)				For round brushes 6.906-798.0 and 6.906-807	
Straight brush, angled		40	6.906-797.0	1 piece(s)	ID 51	370 mm		Flat surface nozzle, round, with brush, for the gentle vacu- uming of machine surfaces	
Brush crown, straight, for r ment	replace-	41	6.906-808.0	1 piece(s)				For brushes, straight 6.906-797.0 and 6.906-806.0	
Scratcher and scraper nozz	ile,	42	6.906-773.0	1 piece(s)	ID 51	100 mm		Suction nozzle DN 51, plastic, 120 mm, for suction of ma-	
plastic		43	6.903-056.0	1 piece(s)	ID 61	100 mm		chines and small surfaces	
Scratcher and scraper nozz	ile,	44	6.906-770.0	1 piece(s)	ID 51	117 mm		Scratcher and scraper tool DN 51, sheet metal, 117 mm	
metal		45	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	
Surface nozzle, aluminium		46	4.130-414.0	1 piece(s)	ID 51	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with	
		47	4.130-415.0	1 piece(s)	ID 61	200 mm		brush and stainless steel bumper	
Tube suction nozzle		48	6.906-837.0	1 piece(s)	ID 51			Plastic for 250 mm dia. pipes	
Crevice tools									
Crevice nozzle, plastic		49	6.906-768.0	1 piece(s)	ID 51	370 × 50 mm		Plastic, 370 mm	
		50	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	
Crevice nozzle, stainless st	eel	51	6.906-771.0	1 piece(s)	ID 51	400 × 70 mm		Grout nozzle, stainless steel, 400 mm	
		52	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm			
Crevice nozzle, stainless sto curved	eel,	53	6.906-831.0	1 piece(s)	ID 51	460 × 75 mm		Grout nozzle, curved, stainless steel	
PVC hoses									
Suction hose, PVC, socket p connection	olug	54	6.906-791.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, PVC very flexible and light for all common applications	
		55	6.906-787.0	1 piece(s)	ID 51	10 m		Suction hose, e.c., 10 m, PVC very flexible and light for all common applications	
		56	6.906-781.0	1 piece(s)	ID 61	5 m		Suction hose, e.c., 5 m, PVC very flexible and light for all common applications	
		57	6.906-782.0	1 piece(s)	ID 61	10 m		Suction hose, e.c., 10 m, PVC very flexible and light for all common applications	

[■] Included in delivery.

Available accessories.































		ı	1					
					Length			
		Order No.	Quantity	ID	/ width	Price	Description	
PU hoses					'			
Suction hose, PU, socket plug	58	6.906-786.0	1 piece(s)	ID 51	5 m		Suction hose, electrically conductive, 5 m, PU, for demand-	
connection		6.906-788.0	1 nioco(s)	ID 51	10 m		ing applications and abrasive materials.	
	59	0.900-766.0	1 piece(s)	10.21	10 111		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	
	60	6.906-777.0	1 piece(s)	ID 61	5 m		Suction hose, e.c., 5 m, PU for higher demands and abrasive	,
	C 1	C 00C 770 0	1 ninen(s)	ID C1	10		substances	╀
	61	6.906-778.0	1 piece(s)	ID 61	10 m		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	
Rubber hoses								
Suction hose, rubber, socket plug	62	6.906-789.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, rubber for predominantly stationary	/ <u></u>
connection	63	6.906-779.0	1 piece(s)	ID 61	5 m		applications and most severe conditions	
Metal hoses		ı						
Suction hose, ME, socket plug	64		1 piece(s)	ID 51	5 m		Suction hose, e.c. 5 m, metal for hot media up to 400°C, not suitable for fluids	
connection	65	6.906-775.0	1 piece(s)	ID 61	5 m		Suitable for fluids	
Suction container and swarf basket UBS Longopac disposal system	66	2.013-050.0	1 piece(s)			1	One of the Longopac Disposal System's nifty features: In-	
OBS FOLIBOHAC dishosal system	00	2.013-050.0	1 piece(s)				stead of the suction container, this attachment kit can also	
							be used for intake of the disposal sack with part number	
							6.907-506.0.	_
Container, stainless steel, 60 l	67	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, without	t 🗆
Container, stainless steel, 100 l	68	4.070-838.0	1 piece(s)				drain valve (ABS liquid) 100 litre stainless container for dry and wet pick up, with-	+
			- p (e)				out drain valve (ABS liquid)	
Conversion kit liquid	69	2.882-695.0	1 piece(s)				Includes drain valve and coarse screen for IVC container	
Swarf basket IV	70	6.394-530.0	1 piece(s)				Swarf basket cpl. for all IV 60 and IV 100 in ocnjunction	
Attachment kit Longopac IV 60, IV	71	2.050-078.0	1 piece(s)				with the wet container	+
100	, 1	2.030 070.0	1 piece(s)					
Container, 60 I, anthracite, for dry	72	6.394-821.0	1 piece(s)					
Vacuuming Container 60 L anthracita for wet	72	6 204 922 0	1 pioco(s)				-	F
Container, 60 l, anthracite, for wet vacuuming	73	6.394-822.0	1 piece(s)					
Accessory kits IV, IVL		J.						
Industrial kit for lighter applica-	74	2.641-177.0	7 -part	ID 51			1 x 4.130-412.0 floor nozzle DN 51, aluminium, 500mm 1	x
tions, socket plug connection							6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0	
							grout nozzle DN51, plastic 1 x 6.906-767.0 bend DN51, stainless steel 2 x 6.906-766.0 suction tube 0.5 m, DN51,	
							stainless steel 1 x 6.906-791.0 suction hose plastic, DN 51,	
							5m	
Industrial kit for demanding appli-	75	2.641-178.0	7 -part	ID 51			1 x 6.906-793.0 floor nozzle DN 51, H-D, 500 mm 1 x	
cations, socket plug connection							6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0 grout nozzle DN 51, plastic 1 x 6.906-767.0 bendDN 51,	
							stainless steel 2 x 6.906-766.0 suction tube 0.5 m DN 51,	
							stainless steel 1 x 6.906-786.0 suction hose PU, DN 51, 5 n	1
Industrial kit for lighter applica-	76	2.641-175.0	7 -part	ID 61			1 x 4.130-413.0 floor nozzle DN 61, aluminium, 500mm 1	
tions, socket plug connection							6.903-056.0 suction nozzle DN 61, plastic 1 x 6.900-222.0 grout nozzle DN51, plastic 1 x 6.906-850.0 bend DN 61,	
							stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61,	
							stainless steel 1 x 6.906-781.0 suction hose plastic, DN 61,	
							5m	\perp







		Order No.	Quantity	ID	Length / width	Price	Description	
Industrial kit for demanding applications, socket plug connection	77	2.641-176.0	7 -part	ID 61			1 x 6.906-802.0 floor nozzle DN 61, H-D, 500 mm 1 x 6.903-056.0 suction nozzle DN 61 plastic 1 x 6.900-222.0 grout nozzle DN 61 plastic 1 x 6.906-850.0 bend DN 61 stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61, stainless steel 1 x 6.906-777.0 suction hose PU DN 61, 5 m	
Miscellaneous								
Crane- and forklift-emptying device	78	2.642-842.0	1 piece(s)					

lacksquare Included in delivery. \Box Available accessories.











		·						
		Order No.	Quantity	ID	Length	Width	Price	Description
Other		'	•	•				
Pre-separator, 80 I	1	3.864-010.0	1 piece(s)					
Drum separator	2	3.864-012.0	1 piece(s)					
Pre-separator cover	3	4.063-132.0	1 piece(s)					
Spacer for 200 l drum	4	6.902-051.0	1 piece(s)					

[■] Included in delivery.

Available accessories.