



IV 60/24-2 W

The IV 60/24-2W is a very robust industrial vacuum cleaner used for dry or wet applications. The construction type and the various accessories available make it highly mobile, being used in different sites of the factory and practical for different cleaning tasks. The model is not recommended to be used for continuous duty (3-shift-operation) because of the motor type embedded in it. It will be operated with 220-240 V, 50-60 Hz. Depending on the operation, container (dry) part-no. 6.394-523.0 or container (wet) part-no. 6.394-528.0 need to be ordered separately.



1 2 blower motors

- Powerful cleaning performance with 2 blowers. Electronically controlled motors avoid high starting currents.

2 Manual filter vibration for low operating costs

- The manual filter vibration increases the working time of the permanent filter, thereby reducing the maintenance effort.

3 Convenient storage area for accessories on the machine's chassis

- Large accessory basket on the machine chassis offers a convenient storage space for nozzles, bends and other parts.

4 Resilient and versatile

- The extensive accessory line provides for ergonomic and economical cleaning solutions for numerous applications.



IV 60/24-2 W

- Anti-static equipment
- Filter status indicator
- Robust wheels and castors

Technical data

Order No.	1.573-200.0	
EAN code	4039784731110	
Rated input power during operation	kW	max. 2.4
Air flow rate	l/s / m³/h	112 / 403
Vacuum	mbar / kPa	235 / 23.5
Container capacity	l	60
Filter area	m²	2.3
Main filter dust class		M
Sound pressure level	dB(A)	73
Nominal diameter of connection		ID 51
Weight	kg	70
Nominal diameter of accessory		ID 51
Dimensions (L × W × H)	mm	870 × 640 × 1410

Equipment

Accessories in scope of delivery	No
Container in scope of delivery	no
Container for wet vacuuming	6.394-822.0
Container for dry applications	6.394-821.0
Filter cleaning	Manual

ACCESSORIES FOR IV 60/24-2 W 1.573-200.0

KÄRCHER



		Order No.	Quantity	ID	Length / width	Price	Description	
Adaptors and spare parts								
Suction connection	1	6.789-003.0	1 piece(s)	ID 51			Connector for operation of DN 51 industrial hoses on one IV	■
	2	6.789-004.0	1 piece(s)	ID 61			Connector for operation of DN 61 industrial hoses on one IV	□
Y connector	3	6.789-001.0	1 piece(s)	ID 51			Connector for operation of two DN 51 industrial hoses on one IV	□
	4	6.789-002.0	1 piece(s)	ID 61			Connector for operation of two DN 61 industrial hoses on one IV	□
Reduction piece, ID 61 on ID 51	5	6.902-147.0	1 piece(s)	ID 61			Reducer for connecting DN 51 accessories to a DN 61 suction hose	□
Adapter	6	6.906-799.0	1 piece(s)	ID 51			Connecting sleeve to connect two DN 51 suction hoses to each other.	□
Connection bushing	7	6.906-800.0	1 piece(s)	ID 61			Connecting sleeve to connect two DN 61 suction hoses to each other.	□
Hose connection, rotatable	8	6.906-810.0	1 piece(s)	ID 51			Connector with live ring for the repair and manufacture of special hose lengths	□
	9	6.906-811.0	1 piece(s)	ID 61				□
Adapter IV to ID 72	10	6.902-212.0	1 piece(s)	ID 72				□
Filters and waste disposal bags								
Star filter, white, IV 60 and IV 100/40-55	11	6.904-341.0	1 piece(s)				Star filter, white, replacement for IV 60 and 100 but not "M B1" and not 100/75	■
Star filter, green, dust filter class M	12	6.904-342.0	1 piece(s)				"Star filter, green, replacement for IV 60 and 100 M B1 but not 100/75 (M B1); must be used for M B1 machines!"	□
Absolute filter attachment kit BIA-H for IV 60-100	13	6.904-365.0	1 piece(s)				With mounting parts	□
BIA-H absolute filter (replacement)	14	6.904-345.0	1 piece(s)				Absolute filter BIA-H as a replacement for 6.904-365.0 and IV 100/55 H B1	□
Disposal bags, paper	15	6.904-346.0	10 piece(s)				Disposal sack, paper, 60 l for dust-free disposal	□
	16	6.904-347.0	10 piece(s)				Disposal sack, paper, 100 l for dust-free disposal	□
Disposal bags, PE	17	6.904-348.0	20 piece(s)				Disposal sack PE 20 pcs 60/100 l for dust-free disposal	□
	18	6.907-336.0	5 piece(s)					□
	19	6.907-347.0	5 piece(s)					□
Stainless steel bends								
Bend, stainless steel, socket plug connection	20	6.906-767.0	1 piece(s)	ID 51			The stainless steel bend is equipped with a nylon ring in the upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	□
	21	6.906-850.0	1 piece(s)	ID 61				□
Suction tubes stainless steel								
Suction tube, stainless steel, socket plug connection	22	6.906-766.0	1 piece(s)	ID 51	500 mm		The suction tube (0.5 m) is equipped with a nylon ring in the upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	□
	23	6.906-851.0	1 piece(s)	ID 61	500 mm			□
Floor nozzles								
Brush strip	24	6.903-067.0	2 -part		500 mm			□
Rubber strip set	25	6.903-081.0	2 -part		370 mm		Rubber strip set 370 mm, oil-resistant, for floor nozzle 4.130-408.0	□
Floor nozzle, wet/dry	26	4.130-412.0	1 piece(s)	ID 51	500 mm		"Aluminium, oil-proof, 500 mm, with height-adjustable rollers, strips and rubber lips; strip set 6.903-067.0; rubber lip set 6.906-168.0"	□
Rubber strip set	27	6.906-168.0	2 -part		500 mm		Rubber strip set 500 mm, oil-resistant, for floor nozzles 4.130-413.0 and -412.0	□
Floor nozzle, wet/dry	28	4.130-413.0	1 piece(s)	ID 61	500 mm		Aluminium, oil-proof, 500 mm, with height-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	□
Heavy-duty floor nozzle	29	6.906-793.0	1 piece(s)	ID 51	500 mm		Floor nozzle, cast aluminium with height-adjustable rollers for demanding applications	□
	30	6.906-802.0	1 piece(s)	ID 61	500 mm			□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR IV 60/24-2 W 1.573-200.0

KÄRCHER



		Order No.	Quantity	ID	Length / width	Price	Description	
Rubber strip for floor nozzle	31	6.906-833.0	1 piece(s)		500 mm		Rubber strip 500 mm, oil-resistant, for floor nozzles 6.906-793.0 and -802.0	<input type="checkbox"/>
Triangle nozzle (cast aluminium, squeegee)	32	6.906-796.0	1 piece(s)	ID 51	300 mm		Flat surface nozzle 300 mm cast aluminium for demanding applications	<input type="checkbox"/>
	33	6.906-805.0	1 piece(s)	ID 61	300 mm			<input type="checkbox"/>
Steel strip for triangular nozzle	34	6.906-835.0	1 piece(s)		300 mm		Steel bar 300 mm, for flat surface nozzle 6.906-796.0 and -805.0 Replacement for 6.906-795.0 and -804.0	<input type="checkbox"/>
Rubber strip for triangular nozzle	35	6.906-834.0	1 piece(s)		300 mm		Rubber strip 300 mm, oil-resistant, for flat surface nozzles 6.906-796.0 and -805.0	<input type="checkbox"/>
Floor nozzle, wet/dry	36	6.906-814.0	1 piece(s)	ID 51	370 mm			<input type="checkbox"/>
Other nozzles								
Rubber suction nozzle, 45°	37	6.902-146.0	1 piece(s)	ID 51	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
	38	6.902-106.0	1 piece(s)	ID 61	220 mm			<input type="checkbox"/>
Elongated round nozzle, rubber	39	6.906-764.0	1 piece(s)	ID 51	370 mm		Suction nozzle DN 51, rubber, round	<input type="checkbox"/>
Round brush, angled	40	6.906-798.0	1 piece(s)	ID 51	120 mm		Flat surface nozzle, round, with brush, for the gentle vacuuming of machine surfaces	<input type="checkbox"/>
Brush crown, round, for replacement	41	6.906-809.0	1 piece(s)				For round brushes 6.906-798.0 and 6.906-807	<input type="checkbox"/>
Straight brush, angled	42	6.906-797.0	1 piece(s)	ID 51	370 mm		Flat surface nozzle, round, with brush, for the gentle vacuuming of machine surfaces	<input type="checkbox"/>
Brush crown, straight, for replacement	43	6.906-808.0	1 piece(s)				For brushes, straight 6.906-797.0 and 6.906-806.0	<input type="checkbox"/>
Scratcher and scraper nozzle, plastic	44	6.906-773.0	1 piece(s)	ID 51	100 mm		Suction nozzle DN 51, plastic, 120 mm, for suction of machines and small surfaces	<input type="checkbox"/>
	45	6.903-056.0	1 piece(s)	ID 61	100 mm			<input type="checkbox"/>
Scratcher and scraper nozzle, metal	46	6.906-770.0	1 piece(s)	ID 51	117 mm		Scratcher and scraper tool DN 51, sheet metal, 117 mm	<input type="checkbox"/>
	47	6.903-360.0	1 piece(s)	ID 61	104 mm			<input type="checkbox"/>
Surface nozzle, aluminium	48	4.130-414.0	1 piece(s)	ID 51	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
	49	4.130-415.0	1 piece(s)	ID 61	200 mm			<input type="checkbox"/>
Tube suction nozzle	50	6.906-837.0	1 piece(s)	ID 51			Plastic for 250 mm dia. pipes	<input type="checkbox"/>
Crevice tools								
Crevice nozzle, plastic	51	6.906-768.0	1 piece(s)	ID 51	370 x 50 mm		Plastic, 370 mm	<input type="checkbox"/>
	52	6.900-222.0	1 piece(s)	ID 61	370 x 64 mm			<input type="checkbox"/>
Crevice nozzle, stainless steel	53	6.906-771.0	1 piece(s)	ID 51	400 x 70 mm		Grout nozzle, stainless steel, 400 mm	<input type="checkbox"/>
	54	6.900-926.0	1 piece(s)	ID 61	370 x 90 mm			<input type="checkbox"/>
Crevice nozzle, stainless steel, curved	55	6.906-831.0	1 piece(s)	ID 51	460 x 75 mm		Grout nozzle, curved, stainless steel	<input type="checkbox"/>
PVC hoses								
Suction hose, PVC, socket plug connection	56	6.906-791.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, PVC very flexible and light for all common applications	<input type="checkbox"/>
	57	6.906-787.0	1 piece(s)	ID 51	10 m			<input type="checkbox"/>
	58	6.906-781.0	1 piece(s)	ID 61	5 m			<input type="checkbox"/>
	59	6.906-782.0	1 piece(s)	ID 61	10 m			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR IV 60/24-2 W 1.573-200.0

KÄRCHER



		Order No.	Quantity	ID	Length / width	Price	Description	
PU hoses								
Suction hose, PU, socket plug connection	60	6.906-786.0	1 piece(s)	ID 51	5 m		Suction hose, electrically conductive, 5 m, PU, for demanding applications and abrasive materials.	<input type="checkbox"/>
	61	6.906-788.0	1 piece(s)	ID 51	10 m		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
	62	6.906-777.0	1 piece(s)	ID 61	5 m		Suction hose, e.c., 5 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
	63	6.906-778.0	1 piece(s)	ID 61	10 m		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
Rubber hoses								
Suction hose, rubber, socket plug connection	64	6.906-789.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, rubber for predominantly stationary applications and most severe conditions	<input type="checkbox"/>
	65	6.906-779.0	1 piece(s)	ID 61	5 m			<input type="checkbox"/>
Metal hoses								
Suction hose, ME, socket plug connection	66	6.906-784.0	1 piece(s)	ID 51	5 m		Suction hose, e.c. 5 m, metal for hot media up to 400°C, not suitable for fluids	<input type="checkbox"/>
	67	6.906-775.0	1 piece(s)	ID 61	5 m			<input type="checkbox"/>
Suction container and swarf baskets								
UBS Longopac disposal system	68	2.013-050.0	1 piece(s)				One of the Longopac Disposal System's nifty features: Instead of the suction container, this attachment kit can also be used for intake of the disposal sack with part number 6.907-506.0.	<input type="checkbox"/>
Container, stainless steel, 60 l	69	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	<input type="checkbox"/>
Container, stainless steel, 100 l	70	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	<input type="checkbox"/>
Conversion kit liquid	71	2.882-695.0	1 piece(s)				Includes drain valve and coarse screen for IVC container	<input type="checkbox"/>
Swarf basket IV	72	6.394-530.0	1 piece(s)				Swarf basket cpl. for all IV 60 and IV 100 in conjunction with the wet container	<input type="checkbox"/>
Attachment kit Longopac IV 60, IV 100	73	2.050-078.0	1 piece(s)					<input type="checkbox"/>
Container, 60 l, anthracite, for dry vacuuming	74	6.394-821.0	1 piece(s)					<input type="checkbox"/>
Container, 60 l, anthracite, for wet vacuuming	75	6.394-822.0	1 piece(s)					<input type="checkbox"/>
Accessory kits IV, IVL								
Industrial kit for lighter applications, socket plug connection	76	2.641-177.0	7 -part	ID 51			1 x 4.130-412.0 floor nozzle DN 51, aluminium, 500mm 1 x 6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0 grout nozzle DN51, plastic 1 x 6.906-767.0 bend DN51, stainless steel 2 x 6.906-766.0 suction tube 0.5 m, DN51, stainless steel 1 x 6.906-791.0 suction hose plastic, DN 51, 5m	<input type="checkbox"/>
Industrial kit for demanding applications, socket plug connection	77	2.641-178.0	7 -part	ID 51			1 x 6.906-793.0 floor nozzle DN 51, H-D, 500 mm 1 x 6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0 grout nozzle DN 51, plastic 1 x 6.906-767.0 bend DN 51, stainless steel 2 x 6.906-766.0 suction tube 0.5 m DN 51, stainless steel 1 x 6.906-786.0 suction hose PU, DN 51, 5 m	<input type="checkbox"/>
Industrial kit for lighter applications, socket plug connection	78	2.641-175.0	7 -part	ID 61			1 x 4.130-413.0 floor nozzle DN 61, aluminium, 500mm 1 x 6.903-056.0 suction nozzle DN 61, plastic 1 x 6.900-222.0 grout nozzle DN51, plastic 1 x 6.906-850.0 bend DN 61, stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61, stainless steel 1 x 6.906-781.0 suction hose plastic, DN 61, 5m	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR IV 60/24-2 W


1.573-200.0



		Order No.	Quantity	ID	Length / width	Price	Description	
Industrial kit for demanding applications, socket plug connection	79	2.641-176.0	7 -part	ID 61			1 x 6.906-802.0 floor nozzle DN 61, H-D, 500 mm 1 x 6.903-056.0 suction nozzle DN 61 plastic 1 x 6.900-222.0 grout nozzle DN 61 plastic 1 x 6.906-850.0 bend DN 61 stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61, stainless steel 1 x 6.906-777.0 suction hose PU DN 61, 5 m	<input type="checkbox"/>
Miscellaneous								
Crane- and forklift-emptying device	80	2.642-842.0	1 piece(s)					<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR IV 60/24-2 W 1.573-200.0



		Order No.	Quantity	ID	Length	Width	Price	Description	
Other									
Pre-separator, 80 l	1	3.864-010.0	1 piece(s)						<input type="checkbox"/>
Drum separator	2	3.864-012.0	1 piece(s)						<input type="checkbox"/>
Pre-separator cover	3	4.063-132.0	1 piece(s)						<input type="checkbox"/>
Spacer for 200 l drum	4	6.902-051.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR IV 60/24-2 W 1.573-200.0



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.