

IVC 60/30 Ap M Z22


Compact industrial vacuum with wear-resistant side channel blower for continuous use (e.g. in manufacturing). For fine dusts in dust class M, ATEX zone 22 and hygiene-sensitive areas.

















- 1 With compact flat pleated filter
- The compact flat pleated filter allows a large filter area with a small and clear design.
- 3 Waste container with set-down mechanism
- The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

2 Certified according to 94/9/EC (ATEX)


Explosion-proof industrial vacuum certified according to 94/9/EC (ATEX) for zone 22 and dust filter class M.

4 Manual filter vibration for low operating costs

The manual filter vibration increases the working time of the permanent filter, thereby reducing the maintenance effort.

TECHNICAL DATA AND EQUIPMENT





IVC 60/30 Ap M Z22

- Certified according to 94/9/EC
- Manual filter cleaning
- Anti-static equipment

Technical data		
Order No.		1.576-106.0
EAN code		4039784463752
Rated input power during operation	kW	3
Air flow rate	$l/s / m^3/h$	68 / 244
Vacuum	mbar / kPa	286 / 28.6
Container capacity	Ţ	60
Filter area	m²	1.9
Main filter dust class		M
Sound pressure level	dB(A)	77
Nominal diameter of connection		ID 72
Weight	kg	95
Nominal diameter of accessory		ID 42
Dimensions (L × W × H)	mm	970 × 690 × 1240
Equipment		
Accessories in scope of delivery		No
Container in scope of delivery		60
Dust class		M
Туре		722
Filter cleaning		Manual

ACCESSORIES FOR IVC 60/30 AP M Z22 1.576-106.0





		Order No.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter, paper	1	6.904-283.0	1 piece(s)					Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.	

[■] Included in delivery.

Available accessories.

ACCESSORIES FOR IVC 60/30 AP M Z22 1.576-106.0































	Order No.							
		Order No.	Quantity	ID	Length / width	Price	Description	
Suction container and swarf basket	s							
Container, stainless steel, 60 l	1	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, withou drain valve (ABS liquid)	t =
Container, stainless steel, 60 l, with suction hose port	2	4.070-930.0	1 piece(s)					
Container, stainless steel, 100 l	3	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	
Bend, coated								
Bend, screw connection	4	6.902-202.0	1 piece(s)	ID 42				
Suction tube, coated								
Suction tube, screw connection	5	6.902-182.0	1 piece(s)	ID 42	750 mm			
Floor nozzles								
Multi-purpose nozzle, Ex approved	6	6.902-213.0	1 piece(s)	ID 42	370 mm			
Other nozzles								
Flexible nozzle, plastic	7	6.902-197.0	1 piece(s)	ID 42	220 mm		Nozzle, elastic, rubber, DN 42	
Elongated round nozzle, rubber	8	6.902-200.0	1 piece(s)	ID 42	315 mm		Suction nozzle, rubber, round, DN 42, length 315mm	
Round brush, angled	9	6.902-193.0	1 piece(s)	ID 42			Suction brush, round 45°, DN 42	
Surface brushes	10	6.902-204.0	1 piece(s)	ID 42	120 mm		Surface brush, width 120mm, DN 42	
Surface nozzle, aluminium	11	6.902-188.0	1 piece(s)	ID 42	150 mm		Surface nozzle, aluminium, width 150mm, DN 42	
Crevice tools								
Crevice nozzle, plastic	12	6.902-195.0	1 piece(s)	ID 42	290 × 13 mm		Crevice nozzle, plastics, long, DN 42, width 13mm	
Crevice nozzle, plastic, flexible	13	6.902-210.0	1 piece(s)	ID 42	340 × 20 mm			
Crevice nozzle, zinc coated, flexible	14	6.902-190.0	1 piece(s)	ID 42	490 × 17 mm		Crevice nozzle, flexible, width 17mm, DN 42	
PVC hoses								
Suction hose, PVC, screw connec-	15	6.907-292.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN	
tion	16	6.907-293.0	1 piece(s)	ID 42	5 m		72 vacuum connector	
Connection hose, PVC, screw con-	17	6.907-310.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose	9 🗆
nection	18	6.907-311.0	1 piece(s)	ID 42	5 m		with DN 42 connector at both ends	
PU hoses								
Suction hose, PU, screw connection	19	6.907-298.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN	
	20	6.907-299.0	1 piece(s)	ID 42	5 m		72 vacuum connector	
Connection hose, PU, screw connection	21	6.907-314.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	
	22	6.907-315.0	1 piece(s)	ID 42	5 m		Electrically conductive, with accessory end rotary coupling hose with DN 42 connector at both ends.	
Metal hoses								
Suction hose, ME-PU, screw con-	23	6.907-304.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN	
nection	24	6.907-305.0	1 piece(s)	ID 42	5 m		72 vacuum connector	
Connection hose, ME-PU, screw	25	6.907-318.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose	2 🗆
connection	26	6.907-319.0	1 piece(s)	ID 42	5 m		with DN 42 connector at both ends	
Adaptors and spare parts								
Vacuum connector, ID 72 to ID 42	27	6.902-178.0	1 piece(s)	ID 72			For attachment to suction nozzle and reduction to hoses DI 42	۵ ا
Hose connection	28	6.902-170.0	1 piece(s)	ID 42			For attachment to hose DN 42	
Hose connection, rotatable	29	6.902-172.0	1 piece(s)	ID 42			Rotatable, for attachment to hose DN 42	
Hose clamp	30	6.902-167.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42/52	

ACCESSORIES FOR IVC 60/30 AP M Z22 1.576-106.0













					Location			
		Order No.	Quantity	ID	Length / width	Price	Description	
Hose sleeve	31	6.902-171.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42	
Star grip M 6	32	6.303-555.0	1 piece(s)	ID 42				
Filters and waste disposal bags								
Disposal bags, PE	33	6.907-336.0	5 piece(s)					
	34	6.907-347.0	5 piece(s)					
Miscellaneous								
Crane- and forklift-emptying device	35	2.642-842.0	1 piece(s)					
Accessory kits IVC, IVS, IVR (3 phas	es)							
Vacuuming kit for explosive dusts	36	9.988-127.0	6 -part	ID 42				

[■] Included in delivery.

Available accessories.