



## IVC 60/12-1 Ec H Z22

Compact industrial vacuum with wear-resistant EC motor for continuous use. Ideal for fine dusts in production areas and hygiene-sensitive areas (dust class H, ATEX zone 22).





#### 1 Two-stage filter concept enables vacuuming with and without dust filter class H in ATEX zone 22

- Health protection thanks to filter class H when vacuuming healthendangering dusts via bottom branch.
- If class H is unnecessary in Zone 22, the top branch does not need to be used.

### 2 Dust-free emptying of dust which is hazardous to health

The fleece bag is sealed with a lid and protected by an outer LDPE bag for safe disposal.

**3** Designed for continuous operation


Brushless Ec motors are low-wear, durable (minimum 5,000 hours) and ideal for three shift operation.

### 4 With compact flat pleated filter

The compact flat pleated filter allows a large filter area with a small and clear design.

## **TECHNICAL DATA AND EQUIPMENT**

## KARCHER



### IVC 60/12-1 Ec H Z22

- Certified according to DIN EN 60335-2-69:2010
- Dust-free and low-dust disposal
- Anti-static equipment

Technical data		
Order No.		1.576-103.0
EAN code		4039784463721
Rated input power during operation	kW	1.2
Air flow rate	l/s / m³/h	62.5 / 225
Vacuum	mbar / kPa	244 / 24.4
Container capacity	I	60
Filter area	m²	0.95
Main filter dust class		Н
Sound pressure level	dB(A)	76
Nominal diameter of connection		ID 72
Weight	kg	59
Nominal diameter of accessory		ID 42
Dimensions (L × W × H)	mm	970 × 690 × 995
Equipment		

Accessories in scope of delivery	No
Container in scope of delivery	60 I
Dust class	Н
Туре	Z22

# ACCESSORIES FOR IVC 60/12-1 EC H Z22 1.576-103.0



		Order No.	Quantity	ID	Length	Width	Price	Description
HEPA, dust class H filter								
HEPA flat pleated filter	1	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-en- dangering and carcinogenic dust.

 $\blacksquare$  Included in delivery.  $\hfill\square$  Available accessories.

# ACCESSORIES FOR IVC 60/12-1 EC H Z22 1.576-103.0

2 2 3				5		6 13			
		Order No.	Quantity	ID	Length / width	Price	Description		
Suction container and swarf baskets									
Container, stainless steel, 60 l,	1	4.070-930.0	1 piece(s)						
with suction hose port									
Container, stainless steel, 100 l	2	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, with-		
Filters and waste disposal bags		1					out drain valve (ABS liquid)		
Safety filter bags	3	6.904-420.0	5 piece(s)						
Bend, coated						I			
Bend, screw connection	4	6.902-202.0	1 piece(s)	ID 42					
Suction tube, coated									
Suction tube, screw connection	5	6.902-182.0	1 piece(s)	ID 42	750 mm				
Floor nozzles									
Multi-purpose nozzle, Ex approved	6	6.902-213.0	1 piece(s)	ID 42	370 mm				
Other nozzles			1						
Flexible nozzle, plastic	7	6.902-197.0	1 piece(s)	ID 42	220 mm		Nozzle, elastic, rubber, DN 42 Suction nozzle, rubber, round, DN 42, length 315mm		
Elongated round nozzle, rubber	8	6.902-200.0	1 piece(s)	ID 42	315 mm		Suction nozzle, rubber, round, DN 42, length 315mm		
Round brush, angled	9	6.902-193.0	1 piece(s)	ID 42			Suction brush, round 45°, DN 42		
Surface brushes	10	6.902-204.0	1 piece(s)	ID 42	120 mm		Surface brush, width 120mm, DN 42		
Surface nozzle, aluminium Crevice tools	11	6.902-188.0	1 piece(s)	ID 42	150 mm		Surface nozzle, aluminium, width 150mm, DN 42		
Crevice nozzle, plastic	12	6.902-195.0	1 piece(s)	ID 42	290 ×		Crevice nozzle, plastics, long, DN 42, width 13mm		
crevice nozzie, plastie	12	0.502 155.0	1 piece(5)	10 42	13 mm				
Crevice nozzle, plastic, flexible	13	6.902-210.0	1 piece(s)	ID 42	340 × 20 mm				
Crevice nozzle, zinc coated, flexi- ble	14	6.902-190.0	1 piece(s)	ID 42	490 × 17 mm		Crevice nozzle, flexible, width 17mm, DN 42		
PVC hoses		1			17 11111	I			
Suction hose, PVC, screw connec-	15	6.907-292.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN		
tion	16	6.907-293.0	1 piece(s)	ID 42	5 m		72 vacuum connector		
Connection hose, PVC, screw con-	17	6.907-310.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose		
nection	18	6.907-311.0	1 piece(s)	ID 42	5 m		with DN 42 connector at both ends		
PU hoses		1							
Suction hose, PU, screw connection	19	6.907-298.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN		
		6.907-299.0	1 piece(s)	ID 42	5 m		72 vacuum connector Electrically conductive, accessory end rotary coupling, hose		
6 II BU	20		4 1 ()	10.40			I Electrically conductive accessory end rotary counting hose I		
Connection hose, PU, screw con- nection	21	6.907-314.0	1 piece(s)	ID 42	3 m		with DN 42 connector at both ends		
			1 piece(s) 1 piece(s)	ID 42 ID 42	3 m 5 m				
	21	6.907-314.0 6.907-315.0					with DN 42 connector at both ends Electrically conductive, with accessory end rotary coupling,		
Nection	21 22 23	6.907-314.0 6.907-315.0 6.907-304.0	1 piece(s)	ID 42	5 m 3 m		with DN 42 connector at both ends Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends. Electrically conductive, accessory end rotary coupling, DN		
nection	21 22 23 24	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0	1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42	5 m 5 m 3 m 5 m		with DN 42 connector at both ends Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends. Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector		
nection	21 22 23 24 25	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0 6.907-318.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42 ID 42	5 m 5 m 3 m 5 m 3 m		with DN 42 connector at both ends         Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.         Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector         Electrically conductive, accessory end rotary coupling, hose		
nection	21 22 23 24	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0	1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42	5 m 5 m 3 m 5 m		with DN 42 connector at both ends Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends. Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector		
nection	21 22 23 24 25	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0 6.907-318.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42 ID 42	5 m 5 m 3 m 5 m 3 m		with DN 42 connector at both ends         Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.         Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector         Electrically conductive, accessory end rotary coupling, N 72 vacuum connector         Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends         For attachment to suction nozzle and reduction to hoses DN		
nection A Adaptors and spare parts Vacuum connector, ID 72 to ID 42	21 22 23 24 25 26 27	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0 6.907-318.0 6.907-319.0 6.902-178.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42 ID 42 ID 42 ID 42 ID 72	5 m 5 m 3 m 5 m 3 m		with DN 42 connector at both ends         Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.         Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector         Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends         Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends         For attachment to suction nozzle and reduction to hoses DN 42		
nection	21 22 23 24 25 26 27	6.907-314.0 6.907-315.0 6.907-304.0 6.907-305.0 6.907-318.0 6.907-319.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 42 ID 42 ID 42 ID 42 ID 42 ID 42	5 m 5 m 3 m 5 m 3 m		with DN 42 connector at both ends         Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.         Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector         Electrically conductive, accessory end rotary coupling, N 72 vacuum connector         Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends         For attachment to suction nozzle and reduction to hoses DN		

■ Included in delivery. □ Available accessories.

## ACCESSORIES FOR IVC 60/12-1 EC H Z22 1.576-103.0



		Order No.	Quantity	ID	Length / width	Price	Description	
Hose sleeve	31	6.902-171.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42	
Star grip M 6	32	6.303-555.0	1 piece(s)	ID 42				
Miscellaneous								
Crane- and forklift-emptying de- vice	33	2.642-842.0	1 piece(s)					
Accessory kits IVC, IVS, IVR (3 phas	es)							
Vacuuming kit for explosive dusts	34	9.988-127.0	6 -part	ID 42				
Included in delivery	ailabl	anconcorion						

■ Included in delivery. □ Available accessories.